Mon Sep 30, 2024

SATVA SOFTECH

Scan results for **aldersbrookmedicalcentre.nhs.uk**

! Semi-compliant

aldersbrookmedicalcentre.nhs.uk has some significant accessibility issues.
Make your website accessible and mitigate legal risk now.

It's seems like your website isn't inclusive or accessible to people with disabilities. **Let's change that!**

60

We found 60 issues on your page

Issue severity



Issues detected by category

24 Graphics	13 Clickables	13 Readability
3 Orientation	3 Menus	3 Forms
1 Titles	0 Document	0 Carousels
0 Tables	0 General	

Detected issues by type



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	2	6	25

Successful Elements

```
<button type="submit" class="search-submit" aria-label="Search" > <!— SVG for the search icon —> </button>
```

```
<input class="submit-btn" type="submit" value="Search" >
```

Failed Elements

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Appointments<span class="mega-indicator" data-has-click-event="true"></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Our Practice<span class="mega-indicator" data-has-click-event="true"></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Patient Updates<span class="mega-indicator" data-has-click-event="true"></span></a>
```

```
<a href="#" ><h2 data-splitting="" class="pt-main-section-title words chars splitting" data-scroll="in" style="--word-total: 3; --char-total: 24;"> <span class="word" data-word="Aldersbrook" style="--word-index: 0;"><span class="char" data-char="A" s ...
```

```
<a href="#" ><h2 data-splitting="" class="pt-main-section-title words chars splitting" data-scroll="out" style="--word-total: 3; --char-total: 23;"><span class="word" data-word="Offering" style="--word-index: 0;"><span class="char" data-char="O" styl ...
```

```
<div class="gt-selected" ><div class="gt-current-lang"><img src="/wp-content/plugins/gtranslate/flags/svg/en.svg" alt="en"> <span class="gt-lang-code">en</span> <span class="gt_float_switcher-arrow"></span></div></div>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	8	0	100

Successful Elements

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Appointments<span class="mega-indicator" data-has-click-event="true"></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Our Practice<span class="mega-indicator" data-has-click-event="true"></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Patient Updates<span class="mega-indicator" data-has-click-event="true"></span></a>
```

```
<a href="#" ><h2 data-splitting="" class="pt-main-section-title words chars splitting" data-scroll="in" style="--word-total: 3; --char-total: 24;"> <span class="word" data-word="Aldersbrook" style="--word-index: 0;"><span class="char" data-char="A" s ...
```

```
<button type="submit" class="search-submit" aria-label="Search" > <!— SVG for the search icon —> </button>
```

```
<a href="#" ><h2 data-splitting="" class="pt-main-section-title words chars splitting" data-scroll="out" style="--word-total: 3; --char-total: 23;"><span class="word" data-word="Offering" style="--word-index: 0;"><span class="char" data-char="O" styl ...
```

```
<input class="submit-btn" type="submit" value="Search" >
```

```
<div class="gt-selected" ><div class="gt-current-lang"><img src="/wp-content/plugins/gtranslate/flags/svg/en.svg" alt="en"> <span class="gt-lang-code">en</span> <span class="gt_float_switcher-arrow"></span></div></div>
```

3	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	38	0	100

Successful Elements

```
<a class="navbar-brand" href="https://aldersbrookmedicalcentre.nhs.uk/" > <img class="img-fluid logo" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/Alderbrook-Medical-Centre.png" alt="medicen"> ...
```

```
<a href="tel:+4402085188080" > <div class="pt-icon"> <i class="flaticon-phone-call"></i> </div> <span>+44 (0)20 8518 8080</span> </a>
```

```
<a href="/book-appointment/" class="pt-button" > <div class="pt-button-block" > <span class="pt-button-text">Book Appointment</span> <span class="pt-button-text">Book Appointment</span> </div> </a>
```

```
<a href="/book-appointment/" tabindex="-1" ><img decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/book-appointment-150×150.png" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-cont ...
```

```
<a href="/book-appointment/" >Book appointment</a>
```

```
<a href="https://app.patientaccess.com/preregistration?siteid=10822&amp;sitename=aldersbrook%20medical%20centre&amp;quest=simple" target="_blank" tabindex="-1" ><img decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs....
```

```
<a href="https://app.patientaccess.com/preregistration?siteid=10822&amp;sitename=aldersbrook%20medical%20centre&amp;quest=simple" target="_blank" >New Patient Registration</a>
```

```
<a href="https://aldersbrookmedicalcentre.webgp.com/" target="_blank" tabindex="-1" ><img loading="lazy" decoding="async" width="150" height="141" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/consult-with-your-dr-150×141.pn ...
```

```
<a href="https://aldersbrookmedicalcentre.webgp.com/" target="_blank" >Consult with your Doctor online</a>
```

```
<a href="https://www.nhsapp.service.nhs.uk/login" target="_blank" tabindex="-1" ><img loading="lazy" decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/repeat-prescription-150×150.png" da ...
```

4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	4	7	36

Successful Elements

```
<a href="https://app.patientaccess.com/preregistration?siteid=10822&amp;sitename=aldersbrook%20medical%20centre&amp;quest=simple" target="_blank" tabindex="-1" ><img decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs....
```

```
<a href="https://app.patientaccess.com/preregistration?siteid=10822&amp;sitename=aldersbrook%20medical%20centre&amp;quest=simple" target="_blank" >New Patient Registration</a>
```

```
<a href="https://www.cqc.org.uk?referer=widget3" target="_blank" alt="CQC Logo" title="CQC Logo" > <img src="https://www.cqc.org.uk/_dp/build/widget/asset_cqclogo_update.png" alt="CQC logo"> </a>
```

```
<a class="widget-button-new-style" title="See full report (opens in new window)" alt="See full report (opens in new window)" target="_blank" href="https://www.cqc.org.uk/location/1-8008390803?referer=widget3" >See the report</a>
```

Failed Elements

```
<a href="https://aldersbrookmedicalcentre.webgp.com/" target="_blank" tabindex="-1" ><img loading="lazy" decoding="async" width="150" height="141" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/consult-with-your-dr-150×141.pn ...
```

```
<a href="https://aldersbrookmedicalcentre.webgp.com/" target="_blank" >Consult with your Doctor online</a>
```

```
<a href="https://www.nhsapp.service.nhs.uk/login" target="_blank" tabindex="-1" ><img loading="lazy" decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/repeat-prescription-150×150.png" da ...
```

```
<a href="https://www.nhsapp.service.nhs.uk/login" target="_blank" >Order repeat prescription</a>
```

```
<a href="https://www.aldersbrookmedicalcentre.nhs.uk/try-the-nhs-app/" target="_blank" rel="noopener" ><img decoding="async" class="aligncenter lazyloaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/NHS-App-General-Web-Ba ...
```

```
<a class="pt-button pt-button-flat" href="https://patient.emisaccess.co.uk/register" target="_blank" > <div class="pt-button-block" > <span class="pt-button-text">Register Now!</span> ...
```

```
<a style="word-break: break-all;" href="https://www.aldersbrookmedicalcentre.nhs.uk/2024/06/17/the-national-data-opt-out/" target="_blank" rel="noopener" >https://www.aldersbrookmedicalcentre.nhs.uk/2024/06/17/the-national-data-opt-out/</a>
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	0	0	
6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	22	0	100
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	-	Fail	0

Failed Elements

```
<h1></h1>
```

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	-	Fail	0

Failed Elements

```
<div class="gt-selected" ><div class="gt-current-lang"><img src="/wp-content/plugins/gtranslate/flags/svg/en.svg" alt="en"> <span class="gt-lang-code">en</span> <span class="gt_float_switcher-arrow"></span></div></div>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	-	Fail	0
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	-	Fail	0
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	0	3	0

Failed Elements

```
<ul id="mega-menu-primary" class="mega-menu max-mega-menu mega-menu-horizontal" data-event="hover" data-effect="fade_up" data-effect-speed="200" data-effect-mobile="disabled" data-effect-speed-mobile="0" data-mobile-force-width="body" data-second-cli ...
```

```
<ul id="menu-useful-links" class="menu" ><li id="menu-item-13513" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-13513"><a href="https://aldersbrookmedicalcentre.nhs.uk/the-practice-2/" >Practice Notices</a></li> <li id="me ...
```

```
<ul id="menu-footer-links" class="menu" ><li id="menu-item-13489" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-13489"><a href="https://aldersbrookmedicalcentre.nhs.uk/general-practice-privacy-notice/" >General Practice Pr ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	3	0	100

Successful Elements

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Appointments<span class="mega-indicator" data-has-click-event="true" ></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Our Practice<span class="mega-indicator" data-has-click-event="true" ></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Patient Updates<span class="mega-indicator" data-has-click-event="true" ></span></a>
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	3	0	100

Successful Elements

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Appointments<span class="mega-indicator" data-has-click-event="true" ></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Our Practice<span class="mega-indicator" data-has-click-event="true" ></span></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabindex="0" >Patient Updates<span class="mega-indicator" data-has-click-event="true" ></span></a>
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	3	11	21

Successful Elements

```
<img class="img-fluid logo" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/Alderbrook-Medical-Centre.png" alt="medicen">
```

```
<img src="https://www.cqc.org.uk/_dp/build/widget/asset_cqclogo_update.png" alt="CQC logo">
```

```
<img src="/wp-content/plugins/gtranslate/flags/svg/en.svg" alt="en">
```

Failed Elements

```
<img decoding="async" class=" lazyloaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/IMG_2774-rotated-1.jpg" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/IMG_2774-rotated-1.jpg" alt="">
```

```
<img decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/book-appointment-150×150.png" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/book-appointment-150x150 ...
```

```
<img decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/new-patient-registration-150×150.png" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/new-patient-regi ...
```

```
<img loading="lazy" decoding="async" width="150" height="141" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/consult-with-your-dr-150×141.png" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/consu ...
```

```
<img loading="lazy" decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/repeat-prescription-150×150.png" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/repeat ...
```

```
<img decoding="async" class="aligncenter lazyloaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/NHS-App-General-Web-Banner-557×400-1-300x215-1.png" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024 ...
```

```
<img decoding="async" class=" lazyloaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/PA_Logo.svg" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/PA_Logo.svg">
```

```
<img loading="lazy" decoding="async" class="alignnone size-full wp-image-13284 lazyloaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/AMC-OCT-22-300×194-1.jpg" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/ ...
```

```
<img loading="lazy" decoding="async" class="alignnone size-full wp-image-13359 lazyloaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/getUBetter-website-banner_with-words-300×200-1.png" data-src="https://aldersbrookmedica ...
```

```
<img loading="lazy" decoding="async" class="alignnone size-full wp-image-13373 lazy loaded" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/see-our-reviews.jpg" data-src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploa ...
```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	Yes	-	Fail	0

Failed Elements

```
<div class="elementor-background-overlay"></div>
```

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	7	11	39

Successful Elements

```
<span class="mega-toggle-animated-box" > <span class="mega-toggle-animated-inner" > </span> </span>
```

```
<span class="mega-toggle-animated-inner" ></span>
```

```
<span class="mega-indicator" data-has-click-event="true" ></span>
```

```
<i class="Array" ></i>
```

```
<i class="ti-angle-up" ></i>
```

Failed Elements

```
<span class="mega-indicator" data-has-click-event="true" ></span>
```

```
<i class="flaticon-phone-call"></i>
```

```
<span class="whitespace"> </span>
```

```
<i class=" flaticon-calendar"></i>
```

```
<i class=" flaticon-location"></i>
```

```
<span class="gt_float_switcher-arrow"></span>
```

```
<span id="elementor-device-mode" class="elementor-screen-only" ></span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	4	1	80

Successful Elements

```
<figure class="elementor-image-box-img"><a href="/book-appointment/" tabindex="-1" ><img decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/book-appointment-150×150.png" data-src="https:/ ...
```

```
<figure class="elementor-image-box-img"><a href="https://app.patientaccess.com/preregistration?siteid=10822&amp;sitename=aldersbrook%20medical%20centre&amp;quest=simple" target="_blank" tabindex="-1" ><img decoding="async" width="150" height="150" sr ...
```

```
<figure class="elementor-image-box-img"><a href="https://aldersbrookmedicalcentre.webgp.com/" target="_blank" tabindex="-1" ><img loading="lazy" decoding="async" width="150" height="141" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads ...
```

```
<figure class="elementor-image-box-img"><a href="https://www.nhsapp.service.nhs.uk/login" target="_blank" tabindex="-1" ><img loading="lazy" decoding="async" width="150" height="150" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/202 ...
```

Failed Elements

```
<figure class="wp-block-image size-full"><img loading="lazy" decoding="async" width="144" height="45" src="https://aldersbrookmedicalcentre.nhs.uk/wp-content/uploads/2024/09/Alderbrook-Medical-Centre.png" alt="" class="wp-image-12505"></figure>
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	0	3	0

Failed Elements

```
<input type="search" class="search-field" placeholder="Search conditions, symptoms, medicines" value="" name="s">
```

```
<input id="postcode" type="text" placeholder="Enter your postcode">
```

```
<select id="service-type"> <option value="" >Select a service</option> <option valu
e="5698f10c-d95c-4974-804d-ba13cd0a0293" >Allergy blood profile</option> <option va
lue="3d1b693e-a399-4a26-92d7-304beeebf550" >Anaemia blood profile</option> <option
v ...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	2	0	100

Successful Elements

```
<form id="searchform" role="search" method="get" action="https://patient.info/searc
h"> <input type="search" class="search-field" placeholder="Search conditions, sympt
oms, medicines" value="" name="s"> <!— Search button with SVG icon —> ...
```

```
<form id="book-appointment" role="search"> <div class="d-flex align-items-center ga
p-2 mb-3 local-service-box"><input id="postcode" type="text" placeholder="Enter you
r postcode"> </div> <div id="errorpostcode" style="color: red; display: none;" ></d
i ...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	Yes	Pass	-	100

Successful Elements

```
<form id="searchform" role="search" method="get" action="https://patient.info/searc
h"> <input type="search" class="search-field" placeholder="Search conditions, sympt
oms, medicines" value="" name="s"> <!— Search button with SVG icon —> ...
```

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100

Successful Elements

```
<title>Aldersbrook Medical Centre</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100

Successful Elements

```
<html lang="en-GB" class="no-js no-svg" data-scroll-dir-x="0" data-scroll-dir-y="-
1"><head> <!— Required meta tags —> <meta charset="utf-8"> <meta name="viewport"
content="width=device-width, initial-scale=1, shrink-to-fit=no"> <link ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=n
o">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100

Successful Elements

```
<main id="main" class="site-main" > <div class="container"> <article id="post-1246
0" class="post-12460 page type-page status-publish hentry"> <div class="entry-conte
nt"> <div data-elementor-type="wp-page" data-elementor-id="12460" clas ...
```

```
<footer id="pt-footer"> <div class="pt-footer-style-1"> <div class="pt-footer-top">
<div class="container"> <div class="pt-footer-top-widget"> <div class="pt-footer-co
lumn-1"> ...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	100	13	88

Successful Elements

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabin
dex="0" >Appointments<span class="mega-indicator" data-has-click-event="true" ></sp
an></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabin
dex="0" >Our Practice<span class="mega-indicator" data-has-click-event="true" ></sp
an></a>
```

```
<a class="mega-menu-link" href="#" aria-haspopup="true" aria-expanded="false" tabin
dex="0" >Patient Updates<span class="mega-indicator" data-has-click-event="true" >
</span></a>
```

```
<span>+44 (0)20 8518 8080</span>
```

```
<span class="pt-button-text">Book Appointment</span>
```

```
<div class="elementor-widget-container"> Welcome to the </div>
```

```
<span class="char" data-char="A" style="--char-index: 0;">A</span>
```

```
<span class="char" data-char="l" style="--char-index: 1;">l</span>
```

```
<span class="char" data-char="d" style="--char-index: 2;">d</span>
```

```
<span class="char" data-char="e" style="--char-index: 3;">e</span>
```

Failed Elements

```
<div class="pt-info-hours-title"> Monday – Friday </div>
```

```
<div class="pt-info-hours-content"> 08:00 - 18:30 </div>
```

```
<div class="pt-info-hours-title"> Saturday </div>
```

```
<div class="pt-info-hours-content"> 09:00 - 13:00 </div>
```

```
<div class="pt-info-hours-title"> Sunday </div>
```

```
<div class="pt-info-hours-content"> Closed </div>
```

```
<a href="https://www.aldersbrookmedicalcentre.nhs.uk/2024/09/24/fire-safety-talk/"
>Fire Safety Talk</a>
```

```
<a href="https://www.aldersbrookmedicalcentre.nhs.uk/2024/08/29/autumn-2024-newslet
ter/" >Autumn 2024 Newsletter</a>
```

```
<a href="https://www.aldersbrookmedicalcentre.nhs.uk/2024/06/17/the-national-data-o
pt-out/" >The national data opt-out</a>
```

```
<a href="https://www.aldersbrookmedicalcentre.nhs.uk/2024/05/09/joint-statement-on-
aldersbrook-medical-centre/" >Joint statement on Aldersbrook Medical Centre</a>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0